Brain Research, 563 (1991) 357–359
Elsevier

Author Index

Agarwal, S.K. and Calaresu, F.R., Enkephalins, substance P and acetylcholine microinjected into the nucleus ambiguus elicit vagal bradycardia in rats, 203
Aguilar, J.S., see Fonseca, M.I., 163
Aiken, S.P., see Shafik, E.N., 44
Alafuzoff, I., see O'Neill, C., 39
Amir, S. and De Blasio, E., Activation of brown adipose tissue thermogenesis by chemical stimulation of the hypothalamic supraoptic nucleus, 349
Araque, A. and Buño, W., Novel inward rectifier blocked by Cd^{2+} in crayfish muscle, 321
Austin, D.R., see Gold, B.G., 151

Badoer, E., see Qadri, F., 137
Barrett, R.K. and Underwood, H., Retinally perceived light can entrain the pineal melatonin rhythm in Japanese quail, 87
Bartha, L., see Kiem, D.T., 107
Bartha, L., see Kiem, D.T., 171
Batter, D.K., Vilijn, M.-H. and Kessler, J., Cultured astrocytes release proenkephalin, 28
Baubichon, ., see Lallement, G., 234
Behan, P.O., see Denenberg, V.H., 114
Bertorelli, R., Forloni, G. and Consolo, S., Modulation of cortical in vivo acetylcholine release by the basal nuclear complex: role of the pontomesencephalic tegmental area, 353
Beyreuther, K., see Schubert, W., 184
Blanchard, J., see Smale, L., 77
Blanchet, G., see Lallement, G., 234
Boland, L.M., Brown, T.A. and Dingledine, R., Gadolinium block of calcium channels: influence of bicarbonate, 142
Bonnekoh, P., see Kuroiwa, T., 33
Brown, T.A., see Boland, L.M., 142
Buño, W., see Araque, A., 321

Calaresu, F.R., see Agarwal, S.K., 203
Carbone, S., see Moguilevsky, J.A., 12
Carpentier, P., see Lallement, G., 234
Champier, J., see Najimi, M., 66
Chastrette, N., Pfaff, D.W. and Gibbs, R.B., Effects of daytime and nighttime stress on Fos-like immunoreactivity in the paraventricular nucleus of the hypothalamus, the habenula, and the posterior paraventricular nucleus of the thalamus, 339
Chigr, F., see Najimi, M., 66
Collet, A., see Lallement, G., 234
Consolo, S., see Bertorelli, R., 353
Cotman, C.W., see Pike, C.J., 311
Cowburn, R.F., see O'Neill, C., 39
Cox, V.C., see Lopez, R., 1
Crossman, A.R., see Robertson, R.G., 278

De Blasio, E., see Amir, S., 349
Dement, W.C., see Haak, L.L., 215
Denenberg, V.H., Mobraaten, L.E., Sherman, G.F., Morrison, L., Schrott, L.M., Waters, N.S., Rosen, G.D., Behan, P.O.and Galaburda, A.M., Effects of the autoimmune uterine/maternal environment upon cortical ectopias, behavior and autoimmunity, 114
Dewar, D., see Kurumaji, A., 57
Dingledine, R., see Boland, L.M., 142
Dircksen, H., see Schubert, W., 184
Doyle, C.A. and Maxwell, D.J., Ultrastructural analysis of noradrenergic nerve terminals in the cat lumbosacral spinal dorsal horn: a dopamine-β-hydroxylase immunocytochemical study, 329
Durand, D., see Yuen, G.L.F., 315

Enomoto, R., see Yoneda, Y., 17

Fekete, M.I.K., see Kiem, D.T., 171
Ferri, S., see Romualdi, P., 132
Fiekers, J.F., see Heppner, T.J., 303
Finch, C.E., see Lampert-Etchells, M., 101
Fonseca, M.I., Aguilar, J.S., Skorupa, A.F. and Klein, W.L., Cellular mapping of m2 muscarinic receptors in rat olfactory bulb using an antiserum raised against a cytoplasmic loop peptide, 163
Forloni, G., see Bertorelli, R., 353
Fowler, C.J., see O'Neill, C., 39
Franck, L.S., Miaskowski, C., Putris, J. and Levine, J.D., Dissociation of antinociceptive and motor effects of supraspinal opioid agonists in the rat, 123
Fuchs, K., see Zezula, J., 325
Fujita, N., see Ishiguro, H., 288

Galaburda, A.M., see Denenberg, V.H., 114
Gibbs, R.B., see Chastrette, N., 339
Glabe, C.G., see Pike, C.J., 311
Gold, B.G. and Austin, D.R., Regulation of aberrant neurofilament phosphorylation in neuronal perikarya. III. Alterations following single and continuous β,β'-iminodipropionitrile administrations, 151
Graham, W.C., see Robertson, R.G., 278

Haak, L.L., Mignot, E., Kilduff, T.S., Dement, W.C. and Heller, H.C., Regional changes in central monoamine and metabolite levels during the hibernation cycle in the golden-mantled ground squirrel, 215
Halász, B., see Molnár, J., 270
Harigaya, Y., see Kawarabayashi, T., 334
Hashimoto, A., see Tanii, Y., 281
Heller, H.C., see Haak, L.L., 215
Heppner, T.J. and Fiekers, J.F., Soman reversibly decreases the duration of Ca^{2+} and Ba^{2+} action potentials in bullfrog sympathetic neurons, 303
Herz, A., see Shippenberg, T.S., 209
Hirai, ., see Kawarabayashi, T., 334
Horsburgh, K. and McCulloch, J., Differential alterations of second messenger systems and cerebral glucose use following excitotoxic lesion of rat cerebral cortex, 306
Hossmann, K.-A., see Kuroiwa, T., 33
Hudson, S.E., see Ritzmann, R.E., 175
Hyvonen, A., see Ritzmann, R.E., 175

Iadecola, C. and Kraig, R.P., Focal elevations in neocortical interstitial K^+ produced by stimulation of the fastigial nucleus in rat, 273
Ikeda, M., see Kurumaji, A., 57
Inuzuka, T., see Ishiguro, H., 288
Ishiguro, H., Sato, S., Fujita, N., Inuzuka, T., Nakano, R. and Miyatake, T., Immunohistochemical localization of myelin-associated glycoprotein isoforms during the development in the mouse brain, 288

Jolkkonen, J., see Sirviö, J., 297
Jodani, D., see Najimi, M., 66
Juraska, J.M., see Reid, S.N.M., 293

Kanje, M., Skottner, A., Lundborg, G. and Sjöberg, J., Does insulin-like growth factor I (IGF-1) trigger the cell body reaction in the rat sciatic nerve?, 285
Kato, H., see Kato, K., 94
Kato, K., Uruno, K., Saito, K. and Kato, H., Both arachidonic acid and 1-oleoyl-2-acetyl glycerol in low magnesium solution induce long-term potentiation in hippocampal CA1 neurons in vitro, 94
Katoh, Y., see Takeuchi, Y., 127
Kawarabayashi, T., Shoji, M., Harigaya, Y., Yamaguchi, H. and Hirai, ., Expression of APP in the early stage of brain damage, 334
Kessler, J., see Batter, D.K., 28
Kiem, D.T., Bartha, L. and Makara, G.B., Effect of dexamethasone implanted in different brain areas on the morphine-induced PRL, GH and ACTH/corticosterone secretion, 107
Kiem, D.T., Fekete, M.I.K., Bartha, L., Nagy, G. and Makara, G.B., Prolactin response to morphine in intact and adrenalectomized lactating rats, 171
Kilduff, T.S., see Haak, L.L., 215
Kito, S., see Yoneda, Y., 17
Klein, W.L., see Fonseca, M.I., 163
Kogure, K., see Nagasawa, H., 7
Komiyama, A. and Suzuki, K., Normal rate of Schwann cell proliferation in the MBP-deficient shiverer mouse during Wallerian degeneration, 345
Kopp, N., see Najimi, M., 66
Kraig, R.P., see Iadecola, C., 273

Krieger, A.J., see Maeda, M., 261
Kuroiwa, T., Bonnekoh, P. and Hossmann, K.-A., Therapeutic window of halothane anesthesia for reversal of delayed neuronal injury in gerbils: relationship to postischemic motor hyperactivity, 33
Kurumaji, A., Ikeda, M., Dewar, D., McCormack, A.G. and McCulloch, J., Effects of chronic administration of MK-801 upon local cerebral glucose utilisation and ligand binding to the NMDA receptor complex, 57

Lallement, G., Carpentier, P., Collet, A., Pernot-Marino, I., Baubichon, . and Blanchet, G., Effects of soman-induced seizures on different extracellular amino acid levels and on glutamate uptake in rat hippocampus, 234
Lampert-Etchells, M., McNeill, T.H., Laping, N.J., Zarow, C., Finch, C.E. and May, P.C., Sulfated glycoprotein-2 is increased in rat hippocampus following entorhinal cortex lesioning, 101
Laping, N.J., see Lampert-Etchells, M., 101
Lesa, G., see Romualdi, P., 132
Levine, J.D., see Franck, L.S., 123
Lopez, R., Young, S.L. and Cox, V.C., Analgesia for formalin-induced pain by lateral hypothalamic stimulation, 1
Lundborg, G., see Kanje, M., 285

Maeda, M., Krieger, A.J., Nakai, M. and Sapru, H.N., Chemical stimulation of the rostral ventrolateral medullary pressor area decreases cerebral blood flow in anesthetized rats, 261
Magistretti, P.J., see Sorg, O., 227
Makara, G.B., see Kiem, D.T., 107
Makara, G.B., see Kiem, D.T., 171
Martin, G., see Olivéras, J.-L., 241
Martin, G., see Olivéras, J.-L., 251
Masters, C.L., see Schubert, W., 184
Maxwell, D.J., see Doyle, C.A., 329
May, P.C., see Lampert-Etchells, M., 101
McArdle, J.J., see Shafik, E.N., 44
McCormack, A.G., see Kurumaji, A., 57
McCulloch, J., see Horsburgh, K., 306
McCulloch, J., see Kurumaji, A., 57
McNeill, T.H., see Lampert-Etchells, M., 101
Melchers, B.P.C. and Van der Laaken, A.L., On the mechanism of spontaneous recovery of neuromuscular transmission after acetylcholinesterase inhibition in the rat neuromuscular junction, 49
Miaskowski, C., see Franck, L.S., 123
Mignot, E., see Haak, L.L., 215
Miyatake, T., see Ishiguro, H., 288
Mobraaten, L.E., see Denenberg, V.H., 114
Moguilevsky, J.A., Carbone, S., Szwarcfarb, B. and Rondina, D., Sexual maturation modifies the GABAergic control of gonadotrophin secretion in female rats, 12
Molnár, J. and Halász, B., Mesencephalic sites of action of an enkephalin analogue (D-Met^2, Pro^5)-enkephalinamide and naloxone on the anterior pituitary of male rats, 270
Montagne-Clavel, J., see Olivéras, J.-L., 251
Montagne-Clavel, J., see Olivéras, J.-L., 241
Moore, R.Y., see Smale, L., 77
Morin, L.P., see Smale, L., 77
Morrison, L., see Denenberg, V.H., 114
Multhaup, G., see Schubert, W., 184

Nagasawa, H. and Kogure, K., Exo-focal postischemic neuronal damage in the rat brain: alteration of [^{3}H]forskolin binding using in vitro autoradiography, 7
Nagy, G., see Kiem, D.T., 171
Najimi, M., Chigr, F., Champier, J., Tabib, A., Kopp, N. and Jodani, D., Autoradiographic distribution of TRH binding sites in the human hypothalamus, 66
Nakai, M., see Maeda, M., 261
Nakano, R., see Ishiguro, H., 288
Nikolarakis, K., see Shippenberg, T.S., 209
Nishikawa, T., see Takeuchi, Y., 127
Nishikawa, T., see Tanii, Y., 281

Ogita, K., see Yoneda, Y., 17
Olivéras, J.-L., Martin, G. and Montagne-Clavel, J., Drastic changes of ventromedial medulla neuronal properties induced by barbiturate anesthesia. II. Modifications of the single-unit activity produced by Brevital, a short-acting barbiturate in the awake, freely moving rat, 251
Olivéras, J.-L., Montagne-Clavel, J. and Martin, G., Drastic changes of ventromedial medulla neuronal properties induced by barbiturate anesthesia. I. Comparison of the single-unit types in the same awake and pentobarbital-treated rats, 241
O'Neill, C., Fowler, C.J., Wiehager, B., Cowburn, R.F., Alafuzoff, I. and Winblad, B., Coupling of human brain cerebral cortical α_2-adrenoceptors to GTP-binding proteins in Alzheimer's disease, 39

Patil, M., Yuen, G.L.F., 315
Pérez, M.E., Soto, E. and Vega, R., Streptomycin blocks the postsynaptic effects of excitatory amino acids on the vestibular system primary afferents, 221
Pernot-Marino, I., see Lallement, G., 234
Pfaff, D.W., see Chastrette, N., 339
Pike, C.J., Walencewicz, A.J., Glabe, C.G. and Cotman, C.W., In vitro aging of β-amyloid protein causes peptide aggregation and neurotoxicity, 311
Pollack, A.J., see Ritzmann, R.E., 175
Prior, R., see Schubert, W., 184
Putris, J., see Franck, L.S., 123

Qadri, F., Badoer, E., Stadler, T. and Unger, T., Angiotensin II-induced noradrenaline release from anterior hypothalamus in conscious rats: a brain microdialysis study, 137

Reid, S.N.M. and Juraska, J.M., The cytoarchitectonic boundaries of the monocular and binocular areas of the rat primary visual cortex, 293
Riekkinen Jr., P., see Sirviö, J., 297
Riekkinen, P.J., see Sirviö, J., 297
Ritzmann, R.E., Pollack, A.J., Hudson, S.E. and Hyvonen, A., Convergence of multi-modal sensory signals at thoracic interneurons of the escape system of the cockroach, *Periplaneta americana*, 175
Robertson, R.G., Graham, W.C., Sambrook, M.A. and Crossman, A.R., Further investigations into the pathophysiology of MPTP-induced parkinsonism in the primate: an intracerebral microdialysis study of γ-aminobutyric acid in the lateral segment of the globus pallidus, 278
Romualdi, P., Lesa, G. and Ferri, S., Chronic opiate agonists down-regulate prodynorphin gene expression in rat brain, 132
Rondina, D., see Moguilevsky, J.A., 12
Rosen, G.D., see Denenberg, V.H., 114

Saito, K., see Kato, K., 94
Sambrook, M.A., see Robertson, R.G., 278
Sapru, H.N., see Maeda, M., 261
Sato, S., see Ishiguro, H., 288
Schrott, L.M., see Denenberg, V.H., 114
Schubert, W., Prior, R., Weidemann, A., Dircksen, H., Multhaup, G., Masters, C.L. and Beyreuther, K., Localization of Alzheimer βA4 amyloid precursor protein at central and peripheral synaptic sites, 184
Scott, J.J.A., Recovery of denervated muscle receptors following treatments to accelerate nerve regeneration, 195
Shafik, E.N., Aiken, S.P. and McArdle, J.J., Regional catecholamine levels in brains of normal and ethanol-tolerant long-sleep and short-sleep mice, 44
Sherman, G.F., see Denenberg, V.H., 114
Shippenberg, T.S., Herz, A. and Nikolarakis, K., Prolonged inflammatory pain modifies corticotropin-releasing factor-induced opioid peptide release in the hypothalamus, 209
Shoji, M., see Kawarabayashi, T., 334
Sieghart, W., see Zezula, J., 325
Sirviö, J., Riekkinen Jr., P., Valjakka, A., Jolkkonen, J. and Riekkinen, P.J., The effects of noradrenergic neurotoxin, DSP-4, on the performance of young and aged rats in spatial navigation task, 297
Sjöberg, J., see Kanje, M., 285
Skorupa, A.F., see Fonseca, M.I., 163
Skottner, A., see Kanje, M., 285
Smale, L., Blanchard, J., Moore, R.Y. and Morin, L.P., Immunocytochemical characterization of the suprachiasmatic nucleus and the intergeniculate leaflet in the diurnal ground squirrel, *Spermophilus lateralis*, 77
Sorg, O. and Magistretti, P.J., Characterization of the glycogenolysis elicited by vasoactive intestinal peptide, noradrenaline and adenosine in primary cultures of mouse cerebral cortical astrocytes, 227
Soto, E., see Pérez, M.E., 221
Stadler, T., see Qadri, F., 137
Suzuki, K., see Komiyama, A., 345

Suzuki, T., see Yoneda, Y., 17
Szwarcfarb, B., see Moguilevsky, J.A., 12

Tabib, A., see Najimi, M., 66
Takahashi, K., see Takeuchi, Y., 127
Takahashi, K., see Tanii, Y., 281
Takashima, M., see Takeuchi, Y., 127
Takeuchi, Y., Takashima, M., Katoh, Y., Nishikawa, T. and Takahashi, K., *N*-Methyl-D-aspartate, quisqualate and kainate receptors are all involved in transmission of photic stimulation in the suprachiasmatic nucleus in rats, 127
Tanii, Y., Nishikawa, T., Hashimoto, A. and Takahashi, K., Stereoselective inhibition by D- and L-alanine of phencyclidine-induced locomotor stimulation in the rat, 281

Underwood, H., see Barrett, R.K., 87
Unger, T., see Qadri, F., 137
Uruno, K., see Kato, K., 94

Valjakka, A., see Sirviö, J., 297
Van der Laaken, A.L., see Melchers, B.P.C., 49
Vega, R., see Pérez, M.E., 221
Vilijn, M.-H., see Batter, D.K., 28

Walencewicz, A.J., see Pike, C.J., 311
Waters, N.S., see Denenberg, V.H., 114
Weidemann, A., see Schubert, W., 184
Wiehager, B., see O'Neill, C., 39
Winblad, B., see O'Neill, C., 39

Yamaguchi, H., see Kawarabayashi, T., 334
Yoneda, Y., Ogita, K., Enomoto, R., Suzuki, T. and Kito, S., Identification and characterization of specific binding sites of [^{3}H]spermidine in synaptic membranes of rat brain, 17
Young, S.L., see Lopez, R., 1
Yuen, G.L.F., Patil, M. and Durand, D., Effects of ethanol on the excitability of hippocampal granule neurons, 315

Zarow, C., see Lampert-Etchells, M., 101
Zezula, J., Fuchs, K. and Sieghart, W., Separation of α_1, α_2 and α_3 subunits of the $GABA_A$-benzodiazepine receptor complex by immunoaffinity chromatography, 325

Contents continued

Prolactin response to morphine in intact and adrenalectomized lactating rats
D.T. Kiem, M.I.K. Fekete, L. Bartha, G. Nagy and G.B. Makara (Hungary) 171
Convergence of multi-modal sensory signals at thoracic interneurons of the escape system of the cockroach, *Periplaneta americana*
R.E. Ritzmann, A.J. Pollack, S.E. Hudson and A. Hyvonen (U.S.A.) 175
Localization of Alzheimer βA4 amyloid precursor protein at central and peripheral synaptic sites
W. Schubert, R. Prior, A. Weidemann, H. Dircksen, G. Multhaup, C.L. Masters and K. Beyreuther (F.R.G., Australia) 184
Recovery of denervated muscle receptors following treatments to accelerate nerve regeneration
J.J.A. Scott (U.K.) 195
Enkephalins, substance P and acetylcholine microinjected into the nucleus ambiguus elicit vagal bradycardia in rats
S.K. Agarwal and F.R. Calaresu (Canada) 203
Prolonged inflammatory pain modifies corticotropin-releasing factor-induced opioid peptide release in the hypothalamus
T.S. Shippenberg, A. Herz and K. Nikolarakis (F.R.G.) 209
Regional changes in central monoamine and metabolite levels during the hibernation cycle in the golden-mantled ground squirrel
L.L. Haak, E. Mignot, T.S. Kilduff, W.C. Dement and H.C. Heller (U.S.A.) 215
Streptomycin blocks the postsynaptic effects of excitatory amino acids on the vestibular system primary afferents
M.E. Pérez, E. Soto and R. Vega (México) 221
Characterization of the glycogenolysis elicited by vasoactive intestinal peptide, noradrenaline and adenosine in primary cultures of mouse cerebral cortical astrocytes
O. Sorg and P.J. Magistretti (Switzerland) 227
Effects of soman-induced seizures on different extracellular amino acid levels and on glutamate uptake in rat hippocampus
G. Lallement, P. Carpentier, A. Collet, I. Pernot-Marino, D. Baubichon and G. Blanchet (France) 234
Drastic changes of ventromedial medulla neuronal properties induced by barbiturate anesthesia. I. Comparison of the single-unit types in the same awake and pentobarbital-treated rats
J.-L. Olivéras, J. Montagne-Clavel and G. Martin (France) 241
Drastic changes of ventromedial medulla neuronal properties induced by barbiturate anesthesia. II. Modifications of the single-unit activity produced by Brevital, a short-acting barbiturate in the awake, freely moving rat
J.-L. Olivéras, G. Martin and J. Montagne-Clavel (France) 251
Chemical stimulation of the rostral ventrolateral medullary pressor area decreases cerebral blood flow in anesthetized rats
M. Maeda, A.J. Krieger, M. Nakai and H.N. Sapru (U.S.A., Japan) 261